



FAIRFIELD TOWNSHIP REGULAR MEETING HELD ON MAY 12, 2011



I. MEETING CALLED TO ORDER AT 7PM BY VAUGHN TANTLINGER, CHAIRMAN

II. ROLL CALL: PAUL ALTIMUS-PRESENT JAMES BROWN-PRESENT SOLICITOR-PRESENT(JWM)
VAUGHN TANTLINGER-PRESENT SECRETARY-PRESENT(EJB) CITIZENS-6

III. PREVIOUS MONTHS MEETING HELD ON 4/14/2011: APPR BY VAUGHN, 2ND BY JIM, UNAN- YES(3)

IV. TRUE BILLS PAID AND TO BE PAID ON THE FINANCIAL STATEMENT DATED APRIL 2011: APPR BY JIM, 2ND BY VAUGHN, UNAN-YES(3)

V. CORRESPONDENCE: NONE

VI. PERSONS PLACED ON AGENDA: NONE

VII. OLD BUSINESS: 1. OPEN BIDS FOR DIESEL. SEE ATTACHMENT

BIDS RECEIVED FOR ULTRA LOW SULFUR DIESEL ON APRIL 25, 2011 FROM I-W COG BID

BASE PRICE--OPIS Pittsburgh City Average

	Bidder	BASE PRICE--OPIS Pittsburgh City Average	10,000	BASE PRICE OPIS-	PROFIT/DELIVERY CENTS PER GAL.	TOTAL PRICE/ GALLON	TOTAL
1	Glassmere Fuel Curtisville, PA		10,000 GALLONS	3.4079	0.1679	3.5758	35,758.00
2	Export	B2	10,000	3.4093	0.1485	3.5578	35,578.00
	Export, PA 15632	B5	GALLONS	3.3789	0.1485	3.5274	35,274.00

BIDS RECEIVED FOR ULTRA LOW SULFUR DIESEL ON MAY 12, 2011 TOWNSHIP ADVERTISED

BASE PRICE--OPIS Pittsburgh City Average

1	Glassmere Fuel Curtisville, PA	B2	10,000 GALLONS	3.5178	0.1569	3.6747	36,747.00
2	Export	B2	10,000	3.4913	0.1849	3.6762	36,762.00
	Export, PA 15632	B5	GALLONS	3.4631	0.1849	3.6480	36,480.00

MOTION BY: PAUL BID FROM: EXPORT FUEL FROM INDIANA-WESTMORELAND COG OPENED ON 4-25-2011

SECONDED BY: VAUGHN UNANIMOUS: YES(3)

2. SPRING CLEANUP ANNOUNCEMENT MAY 14, 2011, FROM 9-1, AT TWP BUILDING, VOLUNTEERS NEEDED. **3. UPDATE ON PUBLIC WATER MEETING** FOR SR271—PAUL STATED A PUBLIC INFORMATION MEETING HELD ON 5/4 AT LIGONIER TWP MUNICIPAL BLDG—LIGONIER TWP, LIGONIER WATER AUTHORITY, EADS GROUP, 3 FFTWP SUPERVISORS FOR THE POSSIBILITY OF WATER EXPANSION IN THE TURKEY INN, RUDDER, CANTERBURY, AND OTHER PARTS OF LIGONIER TWP AND ROSS MT. PARK.. THE ENGINEERING FIRM PRESENTED THEIR CASE, THE PUBLIC ASKED QUESTIONS, AT THIS TIME THE PUBLIC IS TO BE SENDING BACK A QUESTIONNAIRE STATING IF THEY ARE FOR/AGAINST PUBLIC WATER IN THEIR AREA. PAUL TALKED TO ENGINEER TODAY AND THEY ARE STILL RECEIVING PHONE CALLS AND SURVEY RESPONSES. HE IS TO COMPILE A PROJECTION LATER THIS WEEK AND GIVE AN END RESULT BY THE END OF THE MONTH. IF THE WATER EXPANSION IS THE END RESULT THE TWP WOULD THEN HAVE TO ENACT AN ORDINANCE INDICATING MANDATORY TAP-INS AND PARTICIPATION ON THE GUIDELINES SET BY THE AUTHORITY. **4. NOISE ORDINANCE**—PAUL ASKED SOLICITOR IF THE BOARD SHOULD DESIRE TO ENACT SUCH AN ORDINANCE, WOULD ANYTHING CHANGE FROM THE LAST ORDINANCE HE PREPARED. SOLICITOR SAID HE LOOKED OVER THE 2008 NOISE ORD. AND IT IS SET FORTH AS WELL AS IT CAN BE. SOME THINGS THAT ARE AT THE TWPS DISCRETION IS THE NOISE LEVELS. SOLICITOR SAID 70 DAYTIME AND 60 NIGHTTIME DECIBELS. HE CAN NOT SAY IF THEY ARE APPROPRIATE OR NOT, HE CAN NOT BEGIN TO GAUGE THOSE LEVELS—WHAT WOULD TRIGGER THOSE LEVELS. 2ND TWPS DISCRETION AS TO WHAT IS CONSIDERED DAYTIME AND NIGHTTIME HOURS. THERE ARE MANY EXEMPTIONS, AND THIS ORDINANCE WAS POWERED OFF ANOTHER ORDINANCE IN A DIFFERENT TWP. SOME OF THE EXEMPTIONS THAT ARE RELEVANT TO THIS DISCUSSION THAT BROUGHT THIS BACK AROUND, EXAMPLES: SAFETY SIGNALS, REPAIR PUBLIC UTILITIES, BELL CHIMES, GARDEN EQ, SNOW EQ, HEAVY EQ WHEN USED ON SPECIFIC SHORT TERM PROJECTS, CONSTRUCTING A BUILDING, CONSTRUCTING ROAD OR REPAIRING, DRILLING A WELL. PAUL ASKED IF THE WORKED WELL WAS DEFINED. SOLICITOR SAID IT IS NOT, BUT THE USE IS FROM 7 AM TO 9 PM. SOLICITOR SAID YOU GOT A PROBLEM IF YOU TORE MUFFLER OFF CAR OR RIDE A MINI BIKE AROUND. PAUL ASKED IF HE LOOKED AT THE 3 SAMPLES SENT TO HIM—1. PSATS SAMPLE 2. WASHINGTON CTY 3. ST.CLAIR TWP? SOLICITOR DOES NOT KNOW ABOUT THE DECIBELS IN THOSE SAMPLES. VAUGHN SAID TWP IS GOING TO KEEP LOOKING INTO THE NOISE ORDINANCE TO SEE WHAT TWP CAN DO.

VIII. NEW BUSINESS: 1. BVFC REQUESTS TO USE TWP STREETS FOR ANNUAL PARADE ON THURSDAY, JULY 11, 2011 AT 7 PM. MOTION MADE BY VAUGHN TO PERMIT BVFC TO USE TWP STREETS FOR THEIR ANNUAL PARADE ON JULY 11TH, 2ND BY PAUL, UNAN-YES(3) **2.** VAUGHN SAID THE COUNTY CONSERVATION WANTS TO DO SOME WORK FOR HYPOCRITE STREAM. THEY ARE PUTTING MONEY INTO 2 TWP ROADS, ONE ROAD THIS YEAR AND ONE NEXT YEAR. BUT THEY NEED DIFFERENT AGGREGATE MATERIAL THAN THE TWP ADVERTISED FOR, SO THE TWP IS ADVERTISING FOR THE MATERIAL TO BE OPENED AT THE JUNE REGULAR MEETING. THEY ARE PIGGY BACKING OFF OF OUR CONTRACTS. THEY HAVE DONE SIMILAR PROJECTS/ IN DONEGAL AND COOK TWP. **MOTION** BY VAUGHN, 2ND BY PAUL TO ADVERTISE FOR **DRIVING SURFACE AGGREGATE** TO BE OPENED ON JUNE 9, 2011 AT 7 PM (TIME) AT THE MUNICIPAL BUILDING; UNAN-YES(3) **SOLICITOR** STATED BACK TO OLD BUSINESS, PSATS **NOISE ORD.** DECIBELS ARE THE SAME AS TWP ORD, WASHINGTON TWPS DEPENDS ON THE OCTAVE AND THE LEVEL CHANGES FOR DECIBELS. SOLICITOR ALSO STATED THAT HE TALKED TO DEP REGARDING THE **WAGNER QUARRY** AND THEY ARE SCHEDULING A PUBLIC HEARING. SOLICITOR SUGGESTED BVFC AND OFFERED TO HELP SET IT UP, BUT DEP SAID NO—THEY WOULD TAKE CARE OF IT.

IX. PUBLIC COMMENTS: 1. ANN MARIE BLON 2. MAUREEN BLON 3. DEB GAWLAS – ASKED ABOUT THE FIRE HALL CONSTRUCTION. PAUL STATED CONSTRUCTION HAS BEEN SUSPENDED DUE TO LACK OF PROPERLY PERMITTED WORK. PAUL STATED THEY DO NOT HAVE APPROVAL OF THE PLANS. SECRETARY STATED SEVERAL TIMES TO MAKE SURE THEY HAD ALL THE CORRECT PERMITS; AND EVEN AT THAT POINT THE ENGINEER SHOULD BE AWARE OF THE PERMITTING PROCESS IN PENNSYLVANIA BY NOW. PAUL STATED STATEWIDE BUILDING CODE AT COMMERCIAL LEVEL—DEALING WITH LABOR AND INDUSTRY. **4. PAULA BROWN 5. DAN BRENDLINGER 6. ERN HENDERSON**

X. ADJOURNMENT: MOTION BY VAUGHN, 2ND BY JIM, UNAN- YES(3) Time: 7:25 PM

Submitted by: Emma Brendlinger, Sec-Tres

Fairfield Twp.-- 159 Midget Camp Rd. -- Bolivar, PA 15923 – 724-235-2140 – FAX 724-235-2752 www.fairfieldtwp.com